


Accepted Manuscript

Polyethylene glycol (1500 or 600) – Potassium tartrate Aqueous Two-Phase Systems

Marlen González-Amado, Eva Rodil, Alberto Arce, Ana Soto, Oscar Rodríguez



PII: S0378-3812(17)30432-6

DOI: [10.1016/j.fluid.2017.11.009](https://doi.org/10.1016/j.fluid.2017.11.009)

Reference: FLUID 11644

To appear in: *Fluid Phase Equilibria*

Received Date: 7 September 2017

Revised Date: 2 November 2017



Accepted Date: 3 November 2017

Please cite this article as: M. González-Amado, E. Rodil, A. Arce, A. Soto, O. Rodríguez, Polyethylene glycol (1500 or 600) – Potassium tartrate Aqueous Two-Phase Systems, *Fluid Phase Equilibria* (2017), doi: 10.1016/j.fluid.2017.11.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Potassium Tartrate

High solubility in water



**ATPS phase-formation
at low temperatures**

Download English Version:

<https://daneshyari.com/en/article/6619143>

Download Persian Version:

<https://daneshyari.com/article/6619143>

[Daneshyari.com](https://daneshyari.com)