


Accepted Manuscript

Influence of the molecular weight of polymer, temperature and pH on phase diagrams of poly (ethylene glycol) + di-potassium tartrate aqueous two-phase systems

Alireza Barani, Mohsen Pirdashti, Zahra Heidari, Elena-Niculina Dragoi



PII: S0378-3812(17)30475-2

DOI: [10.1016/j.fluid.2017.11.037](https://doi.org/10.1016/j.fluid.2017.11.037)

Reference: FLUID 11672

To appear in: *Fluid Phase Equilibria*


Received Date: 10 July 2017

Revised Date: 15 November 2017

Accepted Date: 29 November 2017

Please cite this article as: A. Barani, M. Pirdashti, Z. Heidari, E.-N. Dragoi, Influence of the molecular weight of polymer, temperature and pH on phase diagrams of poly (ethylene glycol) + di-potassium tartrate aqueous two-phase systems, *Fluid Phase Equilibria* (2018), doi: 10.1016/j.fluid.2017.11.037.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/6619318>

Download Persian Version:

<https://daneshyari.com/article/6619318>

[Daneshyari.com](https://daneshyari.com)