


Accepted Manuscript

A novel process combined with flue-gas desulfurization technology to reduce lead dioxide from spent lead-acid batteries

Yang Ma, Junfeng Zhang, Yan Huang, Jing Cao



PII: S0304-386X(17)30783-1
DOI: doi:[10.1016/j.hydromet.2018.04.006](https://doi.org/10.1016/j.hydromet.2018.04.006)
Reference: HYDROM 4795
To appear in: *Hydrometallurgy*
Received date: 20 September 2017
Revised date: 26 March 2018
Accepted date: 9 April 2018

Please cite this article as: Yang Ma, Junfeng Zhang, Yan Huang, Jing Cao , A novel process combined with flue-gas desulfurization technology to reduce lead dioxide from spent lead-acid batteries. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Hydrom(2018), doi:[10.1016/j.hydromet.2018.04.006](https://doi.org/10.1016/j.hydromet.2018.04.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A novel process combined with flue-gas desulfurization technology to reduce lead dioxide from spent lead-acid batteries

Yang MA ¹, Junfeng ZHANG ^{1*}, Yan HUANG ^{1*}, Jing CAO ²

1. Department of Environmental Science and Engineering, Xiangtan University,
Xiangtan 411105, China.

2. The College of Chemistry of Xiangtan University, Xiangtan 411105, China.

* Author for correspondence.

Tel: 86- 0731-58292231

Fax: 86- 0731-58292231

E-mail: xtuzhjf@163.com

Download English Version:

<https://daneshyari.com/en/article/6658914>

Download Persian Version:

<https://daneshyari.com/article/6658914>

[Daneshyari.com](https://daneshyari.com)