

Accepted Manuscript

Conversion of chalcopyrite to copper oxide in hypochlorite solution for selective leaching of copper in dilute sulfuric acid solution

Pankaj Kumar Choubey, Jae-chun Lee, Min-seuk Kim, Hyung-Seok Kim



PII: S0304-386X(17)30703-X
DOI: doi:[10.1016/j.hydromet.2018.05.002](https://doi.org/10.1016/j.hydromet.2018.05.002)
Reference: HYDROM 4808
To appear in: *Hydrometallurgy*
Received date: 22 August 2017
Revised date: 24 April 2018
Accepted date: 3 May 2018

Please cite this article as: Pankaj Kumar Choubey, Jae-chun Lee, Min-seuk Kim, Hyung-Seok Kim , Conversion of chalcopyrite to copper oxide in hypochlorite solution for selective leaching of copper in dilute sulfuric acid solution. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Hydrom(2017), doi:[10.1016/j.hydromet.2018.05.002](https://doi.org/10.1016/j.hydromet.2018.05.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Conversion of chalcopyrite to copper oxide in hypochlorite solution for selective leaching of copper in dilute sulfuric acid solution

Pankaj Kumar Choubey^{a,b}, Jae-chun Lee^{a,b}, Min-seuk Kim^{a,b*}, Hyung-Seok Kim^{a,b}

^aResources Recycling, Korea University of Science and Technology, Daejeon 305-350, Korea

^bMineral Resources Research Division, Korea Institute of Geoscience and Mineral Resources (KIGAM), Daejeon 305-350, Korea

Download English Version:

<https://daneshyari.com/en/article/6658927>

Download Persian Version:

<https://daneshyari.com/article/6658927>

[Daneshyari.com](https://daneshyari.com)