


## Accepted Manuscript

Solvent extraction of Eu(III) from hydrochloric acid solutions using PC88A and Cyanex 572 in kerosene

V. Agarwal, M.S. Safarzadeh, J.T. Bendler



PII: S0304-386X(17)30907-6  
DOI: doi:[10.1016/j.hydromet.2018.03.011](https://doi.org/10.1016/j.hydromet.2018.03.011)  
Reference: HYDROM 4775  
To appear in: *Hydrometallurgy*  
Received date: 30 October 2017  
Revised date: 9 March 2018  
Accepted date: 10 March 2018

Please cite this article as: V. Agarwal, M.S. Safarzadeh, J.T. Bendler , Solvent extraction of Eu(III) from hydrochloric acid solutions using PC88A and Cyanex 572 in kerosene. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Hydrom(2018), doi:[10.1016/j.hydromet.2018.03.011](https://doi.org/10.1016/j.hydromet.2018.03.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Solvent extraction of Eu(III) from hydrochloric acid solutions using PC88A and Cyanex 572 in kerosene**

V. Agarwal, M.S. Safarzadeh\*, J.T. Bendler

*Department of Materials and Metallurgical Engineering, South Dakota School of Mines and Technology, 501 East Saint Joseph Street, Rapid City, SD 57701-3995, USA*

*\*Corresponding author: [sadegh.safarzadeh@sdsmt.edu](mailto:sadegh.safarzadeh@sdsmt.edu)*

*Tel.: +1 605 394 1284; fax: +1 605 394 3369*

Download English Version:

<https://daneshyari.com/en/article/6658970>

Download Persian Version:

<https://daneshyari.com/article/6658970>

[Daneshyari.com](https://daneshyari.com)