Significance of jarosite dissolution from the biooxidized pyrite surface on further biooxidation of pyrite

Fenwu Liu, Jing Shi, Jiebin Duan, Lixiang Zhou, Jianmin Xu, Xianjun Hao, Wenhua Fan

PII: S0304-386X(17)30642-4
DOI: doi:10.1016/j.hydromet.2018.01.003
Reference: HYDROM 4727

To appear in: *Hydrometallurgy*

Received date: 31 July 2017
Revised date: 13 December 2017
Accepted date: 10 January 2018

Please cite this article as: Fenwu Liu, Jing Shi, Jiebin Duan, Lixiang Zhou, Jianmin Xu, Xianjun Hao, Wenhua Fan , Significance of jarosite dissolution from the biooxidized pyrite surface on further biooxidation of pyrite. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Hydrom(2018), doi:10.1016/j.hydromet.2018.01.003

Significance of jarosite dissolution from the biooxidized pyrite surface on further biooxidation of pyrite

Fenwu Liu[a,1*], Jing Shi[b,1], Jiebin Duan[a], Lixiang Zhou[c*], Jianmin Xu[a], Xianjun Hao[a], Wenhua Fan[a]

[a] *Environmental Engineering Laboratory, College of Resource and Environment,Shanxi Agricultural University, Taigu,030801, PR China*

[b] *Analytical Instrumentation center, Institute of coal chemistry, Chinese Academy of Sciences, 27 South Taoyuan Road, Taiyuan 030001, PR China*

[c] *Department of Environmental Engineering, College of Resources and Environmental Sciences, Nanjing Agricultural University, Nanjing, 210095, PR China*

[1]Both authors contributed equally to this work

*Author to whom correspondence should be addressed:

Fenwu Liu, E-mail:lfwlfw2008@163.com; Tel.: +86 354 6288322; fax: +86 354 6288322.

Lixiang Zhou, E-mail: lxzhou@njau.edu.cn; Tel.:+86 25 84395160; fax: +86 25 84395160