Accepted Manuscript

Polymer anode used in hydrometallurgy: Anodic behaviour of PANI/CeO2/WC anode from sulfate electrolytes

Lei Jin, Hui Huang, Yang Fei, Hai-tao Yang, Hong-yan Zhang, Zhong-cheng Guo


PII: S0304-386X(17)30024-5

DOI: doi:10.1016/j.hydromet.2018.01.020


Reference: HYDROM 4744

To appear in: *Hydrometallurgy*

Received date: 8 January 2017
Revised date: 21 December 2017
Accepted date: 22 January 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the iournal pertain.



ACCEPTED MANUSCRIPT

Polymer Anode Used in Hydrometallurgy: Anodic Behaviour of PANI/CeO₂/WC Anode from Sulfate Electrolytes

Lei Jin ^a, Hui Huang ^{a,c,*}, Yang Fei ^a, Hai-tao Yang ^a, Hong-yan Zhang ^a, Zhong-cheng Guo ^{a,b,c}

^a Faculty of Metallurgical and Energy Engineering, Kunming University of Science and Technology, Kunming 650093, China

^b Kunming Hendera Science and Technology Co., Ltd., Kunming 650106, China

^c Yunnan Provincial Engineering Technology Research Center of Metallurgical Electrode Materials, Kunming 650106, China

Download English Version:

https://daneshyari.com/en/article/6659014

Download Persian Version:

https://daneshyari.com/article/6659014

<u>Daneshyari.com</u>