
Accepted Manuscript

Title: Degradation of Diphenhydramine by the Photocatalysts of ZnO/Fe_2O_3 and TiO_2/Fe_2O_3 Based on Clinoptilolite: Structural and Operational Comparison



PII: DOI: Reference: S2213-3437(17)30553-5 https://doi.org/10.1016/j.jece.2017.10.052 JECE 1962

To appear in:

Received date:	3-5-2017
Revised date:	22-10-2017
Accepted date:	25-10-2017

Please cite this article as: Nila Davari, Mehrdad Farhadian, Ali Reza Solaimany Nazar, Maryam Homayoonfal, Degradation of Diphenhydramine by the Photocatalysts of ZnO/Fe2O3 and TiO2/Fe2O3 Based on Clinoptilolite: Structural and Operational Comparison, Journal of Environmental Chemical Engineering https://doi.org/10.1016/j.jece.2017.10.052

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Degradation of Diphenhydramine by the Photocatalysts of ZnO/Fe₂O₃ and

TiO₂/Fe₂O₃ Based on Clinoptilolite: Structural and Operational Comparison

Nila Davari, Mehrdad Farhadian*, Ali Reza Solaimany Nazar and Maryam

Homayoonfal


Department of Chemical Engineering, Faculty of Engineering, University of Isfahan,

Isfahan, Iran

Mehrdad Farhadian

m.farhadian@eng.ui.ac.ir

Graphical abstract



Highlights

• The results of the photocatalytic experiments revealed that the $ZnO/Fe_2O_3/Zeolite$ had a more effective performance in degrading DPH, compared to $TiO_2/Fe_2O_3/Zeolite$.

Download English Version:

https://daneshyari.com/en/article/6664188

Download Persian Version:

https://daneshyari.com/article/6664188

Daneshyari.com