

Accepted Manuscript

Improved extractability of carotenoids from tomato peels as side benefits of PEF treatment of tomato fruit for more energy-efficient steam-assisted peeling

G. Pataro, D. Carullo, Md A. Bakar Siddique, M. Falcone, F. Donsì, G. Ferrari



PII: S0260-8774(18)30146-8
DOI: 10.1016/j.jfoodeng.2018.03.029
Reference: JFOE 9213
To appear in: *Journal of Food Engineering*
Received Date: 22 December 2017
Revised Date: 20 March 2018
Accepted Date: 29 March 2018

Please cite this article as: G. Pataro, D. Carullo, Md A. Bakar Siddique, M. Falcone, F. Donsì, G. Ferrari, Improved extractability of carotenoids from tomato peels as side benefits of PEF treatment of tomato fruit for more energy-efficient steam-assisted peeling, *Journal of Food Engineering* (2018), doi: 10.1016/j.jfoodeng.2018.03.029

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Improved extractability of carotenoids from tomato peels as side
benefits of PEF treatment of tomato fruit for more energy-efficient
steam-assisted peeling**

G. Pataro^{1*}, D. Carullo¹, Md A. Bakar Siddique², M. Falcone², F. Donsi¹, G. Ferrari^{1,2}

¹ Department of Industrial Engineering, University of Salerno, via Giovanni Paolo II, 132,
84084 Fisciano (SA), Italy

² ProdAl Scarl — University of Salerno, via Ponte don Melillo, 84084 Fisciano (SA),
Italy

Download English Version:

<https://daneshyari.com/en/article/6664506>

Download Persian Version:

<https://daneshyari.com/article/6664506>

[Daneshyari.com](https://daneshyari.com)