

Accepted Manuscript

Electrical impedance estimation for apple fruit tissues during storage using Cole–Cole plots



Takashi Watanabe, Yasumasa Ando, Takahiro Orikasa, Satoshi Kasai, Takeo Shiina

PII: S0260-8774(17)30425-9
DOI: 10.1016/j.jfoodeng.2017.09.028
Reference: JFOE 9032
To appear in: *Journal of Food Engineering*
Received Date: 21 March 2017
Revised Date: 04 August 2017
Accepted Date: 29 September 2017

Please cite this article as: Takashi Watanabe, Yasumasa Ando, Takahiro Orikasa, Satoshi Kasai, Takeo Shiina, Electrical impedance estimation for apple fruit tissues during storage using Cole–Cole plots, *Journal of Food Engineering* (2017), doi: 10.1016/j.jfoodeng.2017.09.028

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Electrical impedance property of apple fruits was evaluated using Cole-Cole plots.

Top coordinates of circular arcs of Cole-Cole plots were grouped each cultivar.

Anisotropy of electrical properties to the fiber orientation was clarified.

Variety discrimination and cell structure changes can be assessed by Cole-Cole plots.

Download English Version:

<https://daneshyari.com/en/article/6664801>

Download Persian Version:

<https://daneshyari.com/article/6664801>

[Daneshyari.com](https://daneshyari.com)