Accepted Manuscript



A study to identify the contribution of Soluplus® component homopolymers to the solubilization of nifedipine and sulfamethoxazole using the melting point depression method

Mohammad A. Altamimi, Steven H. Neau

PII:	S0032-5910(18)30524-2
DOI:	doi:10.1016/j.powtec.2018.07.027
Reference:	PTEC 13509
To appear in:	*Powder Technology*
Received date:	6 February 2018
Revised date:	2 July 2018
Accepted date:	5 July 2018

Please cite this article as: Mohammad A. Altamimi, Steven H. Neau , A study to identify the contribution of Soluplus® component homopolymers to the solubilization of nifedipine and sulfamethoxazole using the melting point depression method. Ptec (2018), doi:10.1016/j.powtec.2018.07.027

A study to identify the contribution of Soluplus® component homopolymers to the solubilization of nifedipine and sulfamethoxazole using the melting point depression method

Mohammad A. Altamimi,[1,2,*] and Steven H. Neau[1]

[1]Department of Pharmaceutical Sciences, Philadelphia College of Pharmacy, University of the Sciences, 600 S. 43rd Street, Philadelphia, PA 19104

[2]Department of Pharmaceutical Sciences, College of Pharmacy, King Saud University, Riyadh, Kingdom of Saudi Arabia

*Corresponding Author; E-mail: maltamimi@ksu.edu.sa; Tel.: +966114673572