### Accepted Manuscript

Formation of commercially pure titanium with a bimodal nitrogen diffusion phase using plasma nitriding and spark plasma sintering

Shoichi Kikuchi, Hiroyuki Akebono, Akira Ueno, Kei Ameyama


PII: S0032-5910(18)30174-8

DOI: doi:10.1016/j.powtec.2018.02.047

Reference: PTEC 13223

To appear in: Powder Technology

Received date: 2 August 2017 Revised date: 22 January 2018 Accepted date: 22 February 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## **ACCEPTED MANUSCRIPT**

#### Title page

Formation of Commercially Pure Titanium with a Bimodal Nitrogen Diffusion Phase Using

Plasma Nitriding and Spark Plasma Sintering

Shoichi KIKUCHI <sup>a,\*</sup>, Hiroyuki AKEBONO <sup>b</sup>, Akira UENO <sup>c</sup> and Kei AMEYAMA <sup>c</sup>

<sup>a</sup> Department of Mechanical Engineering, Graduate School of Engineering, Kobe University,

1-1 Rokkodai-cho, Nada-ku, Kobe, 657-8501, JAPAN

<sup>b</sup> Department of Mechanical Science and Engineering, Graduate School of Engineering,

Hiroshima University, 1-4-1 Kagamiyama, Higashihiroshima, 739-8527, JAPAN

<sup>c</sup> Department of Mechanical Engineering, College of Science and Engineering, Ritsumeikan

University, 1-1-1 Noji-higashi, Kusatsu, Shiga, 525-8577, JAPAN

\* Corresponding author

E-mail address: kikuchi@mech.kobe-u.ac.jp

Tel: +81-78-803-6329, Fax: +81-78-803-6155

#### Download English Version:

# https://daneshyari.com/en/article/6675126

Download Persian Version:

https://daneshyari.com/article/6675126

<u>Daneshyari.com</u>