Accepted Manuscript

Microencapsulation of vanilla (Vanilla planifolia Andrews) and powder characterization

S.J. Calva-Estrada, M.R. Mendoza, O. García, V.M. Jiménez-Fernández, M. Jiménez

PII: S0032-5910(17)30831-8

DOI: doi:10.1016/j.powtec.2017.10.035

Reference: PTEC 12893

To appear in: Powder Technology

Received date: 20 September 2016 Revised date: 7 October 2017 Accepted date: 19 October 2017



Please cite this article as: S.J. Calva-Estrada, M.R. Mendoza, O. García, V.M. Jiménez-Fernández, M. Jiménez, Microencapsulation of vanilla (*Vanilla planifolia Andrews*) and powder characterization, *Powder Technology* (2017), doi:10.1016/j.powtec.2017.10.035

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Microencapsulation of vanilla (Vanilla planifolia Andrews) and powder characterization

S.J. Calva-Estrada^a, M.R. Mendoza^b, O. García^b, V.M. Jiménez-Fernández^c and M. Jiménez^{a*}

^a Instituto de Ciencias Básicas, Universidad Veracruzana, Xalapa, Veracruz, México. C.P. 91190.

*Corresponding author: maribjimenez@uv.mx

^b Unidad de Servicios de Apoyo en Resolución Analítica, Universidad Veracruzana, Xalapa, Veracruz, México.

^c Facultad de Instrumentación Electrónica, Universidad Veracruzana, Xalapa, Veracruz, México.

ABSTRACT

Natural vanilla extract (NVE) and synthetic vanilla extract (SVE) were microencapsulated by spray-drying, using whey protein concentrate (WPC) as wall material. Physicochemical properties, volatility profile, vanillin concentration and antioxidant activity were evaluated by measuring total polyphenols, the inhibition of radical scavenging activity by DPPH, chain-breaking activity and reducing power. Both microparticles exhibited high vanillin retention and antioxidant activity during spray dried process, but microparticles of SVE-WPC showed higher vanillin retention than microparticles of NVE-WPC during storage. The micrographs of the microcapsules showed morphological characteristics that were ideal for ensuring stability and integrity during storage to different water activities.

Download English Version:

https://daneshyari.com/en/article/6675965

Download Persian Version:

https://daneshyari.com/article/6675965

<u>Daneshyari.com</u>