

Accepted Manuscript

Influence of emulsion composition and ultrasonication time on flaxseed oil powder properties

Ismail Tontul, Ayhan Topuz

PII: S0032-5910(14)00435-5
DOI: doi: [10.1016/j.powtec.2014.05.002](https://doi.org/10.1016/j.powtec.2014.05.002)
Reference: PTEC 10256

To appear in: *Powder Technology*

Received date: 7 March 2014
Revised date: 29 April 2014
Accepted date: 4 May 2014



Please cite this article as: Ismail Tontul, Ayhan Topuz, Influence of emulsion composition and ultrasonication time on flaxseed oil powder properties, *Powder Technology* (2014), doi: [10.1016/j.powtec.2014.05.002](https://doi.org/10.1016/j.powtec.2014.05.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Influence of emulsion composition and ultrasonication time on flaxseed oil powder
properties**

Ismail Tontul^{1,2}, Ayhan Topuz^{2*}

¹ Necmettin Erbakan University, Faculty of Engineering and Architecture, Department of Food Engineering, Konya, 42050, Turkey

² Akdeniz University, Faculty of Engineering, Department of Food Engineering, Antalya, 07058, Turkey

*Corresponding author: Ayhan TOPUZ, Akdeniz University, Faculty of Engineering, Department of Food Engineering, 07058, Antalya, Turkey.

atopuz@akdeniz.edu.tr Tel: 00 90 242 310 2447 Fax: 00 90 242 310 6306

Download English Version:

<https://daneshyari.com/en/article/6677306>

Download Persian Version:

<https://daneshyari.com/article/6677306>

[Daneshyari.com](https://daneshyari.com)