

Accepted Manuscript

Behavior of Shear Thickening Fluid (STF) Impregnated Fabric Composite Rear Wall under Hypervelocity Impact

YunHo Kim, Yurim Park, JiHun Cha, Venkat Akhil Ankem, Chun-Gon Kim

PII: S0263-8223(18)30135-1

DOI: <https://doi.org/10.1016/j.compstruct.2018.07.064>

Reference: COST 9982

To appear in: *Composite Structures*

Received Date: 11 January 2018

Revised Date: 5 June 2018

Accepted Date: 16 July 2018



Please cite this article as: Kim, Y., Park, Y., Cha, J., Ankem, V.A., Kim, C-G., Behavior of Shear Thickening Fluid (STF) Impregnated Fabric Composite Rear Wall under Hypervelocity Impact, *Composite Structures* (2018), doi: <https://doi.org/10.1016/j.compstruct.2018.07.064>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Behavior of Shear Thickening Fluid (STF) Impregnated Fabric Composite Rear Wall under Hypervelocity Impact

YunHo Kim, Yurim Park, JiHun Cha, Venkat Akhil Ankem, Chun-Gon Kim*,

SSCL, Department of Aerospace Engineering, School of Mechanical and Aerospace Engineering, KAIST, 373-1 Guseong-dong, Yuseong-gu, Daejeon 305-701, Republic of Korea, 305-701

Corresponding author: *cgkim@kaist.ac.kr

phone +82-42-350-3719; fax +82-42-350-3710;

<http://smartech.kaist.ac.kr>

Download English Version:

<https://daneshyari.com/en/article/6702449>

Download Persian Version:

<https://daneshyari.com/article/6702449>

[Daneshyari.com](https://daneshyari.com)