## Accepted Manuscript

Single and combined phase change materials: Their effect on seasonal transition period

Sina Memarian, Behrouz Mohammad Kari, Rima Fayaz, Somayeh Asadi

 PII:
 S0378-7788(16)31688-7

 DOI:
 10.1016/j.enbuild.2018.03.085

 Reference:
 ENB 8471



To appear in: Energy & Buildings

Received date:25 November 2016Revised date:2 March 2018Accepted date:30 March 2018

Please cite this article as: Sina Memarian, Behrouz Mohammad Kari, Rima Fayaz, Somayeh Asadi, Single and combined phase change materials: Their effect on seasonal transition period, *Energy & Buildings* (2018), doi: 10.1016/j.enbuild.2018.03.085

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Increase in seasonal transition period results in energy conservation in buildings
- Duration of seasonal transition period increases by using PCMs in building fabric
- Compared to single PCMs, combined PCMs thermally perform better in hot arid climate

1

Download English Version:

https://daneshyari.com/en/article/6728219

Download Persian Version:

https://daneshyari.com/article/6728219

Daneshyari.com