


Study on Reasonable Selection of Insulation Depth of the Outlet
Section of Vertical Deep-Buried U-Bend tube Heat Exchanger

Chao Li , Yanling Guan , Xing Wang

PII: S0378-7788(17)32829-3
DOI: [10.1016/j.enbuild.2018.02.047](https://doi.org/10.1016/j.enbuild.2018.02.047)
Reference: ENB 8377



To appear in: *Energy & Buildings*

Received date: 20 August 2017
Revised date: 31 January 2018
Accepted date: 22 February 2018

Please cite this article as: Chao Li , Yanling Guan , Xing Wang , Study on Reasonable Selection of Insulation Depth of the Outlet Section of Vertical Deep-Buried U-Bend tube Heat Exchanger, *Energy & Buildings* (2018), doi: [10.1016/j.enbuild.2018.02.047](https://doi.org/10.1016/j.enbuild.2018.02.047)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Full-scale numerical model of deep-buried THEs was established and verified.
- Insulation characteristics of deep-buried tube were first numerically analyzed.
- Method to determine the optimum insulation depth of deep-buried tube was obtained.

Download English Version:

<https://daneshyari.com/en/article/6728345>

Download Persian Version:

<https://daneshyari.com/article/6728345>

[Daneshyari.com](https://daneshyari.com)