

Accepted Manuscript

Heat pump placement, connection and operational modes in European district heating

M.A. Sayegh , P. Jadwiszczak , B.P. Axcell , E. Niemierka ,
K. Bryś , H. Jouhara

PII: S0378-7788(17)33841-0
DOI: [10.1016/j.enbuild.2018.02.006](https://doi.org/10.1016/j.enbuild.2018.02.006)
Reference: ENB 8322



To appear in: *Energy & Buildings*

Received date: 25 November 2017
Revised date: 7 February 2018
Accepted date: 10 February 2018

Please cite this article as: M.A. Sayegh , P. Jadwiszczak , B.P. Axcell , E. Niemierka , K. Bryś , H. Jouhara , Heat pump placement, connection and operational modes in European district heating, *Energy & Buildings* (2018), doi: [10.1016/j.enbuild.2018.02.006](https://doi.org/10.1016/j.enbuild.2018.02.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- *DH infrastructure in EU as a platform for HP integration and deployment.*
- *Technical triangle framework of HP integration into DH and its functionality.*
- *Performance and cases of HP placement, connection and operational modes in DH.*
- *The environmental impact of HP integration into the DH.*

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6728827>

Download Persian Version:

<https://daneshyari.com/article/6728827>

[Daneshyari.com](https://daneshyari.com)