Accepted Manuscript

Effect of inoculum source and initial concentration on the anaerobic digestion of the liquid fraction from hydrothermal carbonisation of sewage sludge

M.A. De la Rubia, J.A. Villamil, J.J. Rodriguez, A.F. Mohedano

PII: S0960-1481(18)30521-4

DOI: 10.1016/j.renene.2018.05.002

Reference: RENE 10054


To appear in: Renewable Energy

Received Date: 22 September 2017

Revised Date: 5 March 2018 Accepted Date: 1 May 2018


Please cite this article as: De la Rubia MA, Villamil JA, Rodriguez JJ, Mohedano AF, Effect of inoculum source and initial concentration on the anaerobic digestion of the liquid fraction from hydrothermal carbonisation of sewage sludge, *Renewable Energy* (2018), doi: 10.1016/j.renene.2018.05.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Dewatered sewage sludge HTC 208 ºC - 1 h hydrochar

liquid fraction from the HTC



Download English Version:

https://daneshyari.com/en/article/6764149

Download Persian Version:

https://daneshyari.com/article/6764149

<u>Daneshyari.com</u>