


Accepted Manuscript

Numerical and empirical evaluation of a novel building integrated collector storage solar water heater



Celine Garnier, Tariq Muneer, John Currie

PII: S0960-1481(18)30352-5
DOI: 10.1016/j.renene.2018.03.041
Reference: RENE 9910
To appear in: *Renewable Energy*
Received Date: 25 September 2017
Revised Date: 12 March 2018
Accepted Date: 16 March 2018

Please cite this article as: Celine Garnier, Tariq Muneer, John Currie, Numerical and empirical evaluation of a novel building integrated collector storage solar water heater, *Renewable Energy* (2018), doi: 10.1016/j.renene.2018.03.041

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Numerical and empirical evaluation of a novel building integrated collector storage solar water heater

Celine Garnier¹, Tariq Muneer¹ and John Currie^{1*}

¹ School of Engineering and the Built Environment; Edinburgh Napier University, 10 Colinton Road, EH10 5DT, Edinburgh, UK

* Corresponding Author, j.currie@napier.ac.uk

Abstract

Integrated collector storage is a long established simple low cost solar water heater configuration combining the solar collector with a storage tank into a single unit. Previous studies have shown the potential of integrated collector storage solar water heaters to significantly reduce domestic energy requirements for water heating, however challenges still remain to integrate them in roof/façades and ensure appropriate domestic hot water demand. In this article, a novel integrated collector storage solar water heaters is being investigated. The configuration and geometry proposed incorporates an embedded heating element to provide a self-contained domestic hot water system and consider roof integration restriction allowing the unit to be embedded within a structural insulated roofing panel system. The proposed system also utilizes an inlet diffuser designed to reduce the disruption to the stratification within the storage during and following draw-off. This article presents a Computational Fluid Dynamic analysis of internal flows and heat transfer regimes within this new collector configuration and compares its performance against previous developed prototypes using empirical testing. The increased aspect ratio of the new design was shown to significantly alter the heating and cooling characteristics of the collector, both gaining and losing heat at a greater rate than the original prototype. The computational analysis showed that the collector charges effectively with some stratification. Higher draw-off rates however resulted in higher bulk water outlet temperatures, providing better energy delivery efficiency. The inlet diffuser was also shown to improve the thermal efficiency of the unit overall. The empirical testing shows the improvement in performance of this novel integrated collector storage solar water heaters against previous developed prototypes. The study highlights the need to review the effect of draw-off regime upon the performance of such systems in order to identify optimal regime and control strategy.

Key Words

Integrated Collector Storage, Solar Water Heater, Building Integration, Simulation, CFD

Download English Version:

<https://daneshyari.com/en/article/6764243>

Download Persian Version:

<https://daneshyari.com/article/6764243>

[Daneshyari.com](https://daneshyari.com)