


Accepted Manuscript

Effect of percussion vibration on solidification of supercooled salt hydrate PCM in thermal storage unit

Guobing Zhou, Maochuan Zhu, Yutong Xiang



PII: S0960-1481(18)30388-4

DOI: [10.1016/j.renene.2018.03.077](https://doi.org/10.1016/j.renene.2018.03.077)

Reference: RENE 9946

To appear in: *Renewable Energy*

Received Date: 6 June 2017

Revised Date: 19 March 2018

Accepted Date: 28 March 2018

Please cite this article as: Zhou G, Zhu M, Xiang Y, Effect of percussion vibration on solidification of supercooled salt hydrate PCM in thermal storage unit, *Renewable Energy* (2018), doi: 10.1016/j.renene.2018.03.077.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Effect of percussion vibration on solidification of supercooled salt
hydrate PCM in thermal storage unit**

Guobing Zhou^{*}, Maochuan Zhu, Yutong Xiang

School of Energy, Power and Mechanical Engineering, North China Electric Power

University, Beijing 102206, P.R. China

^{*}Corresponding author. Tel.: +86-10-61771438; Fax: +86-10-61772277.

E-mail address: zhougb@ncepu.edu.cn (G.B. Zhou).

Download English Version:

<https://daneshyari.com/en/article/6764276>

Download Persian Version:

<https://daneshyari.com/article/6764276>

[Daneshyari.com](https://daneshyari.com)