Accepted Manuscript

Bio-fuel oil Characteristic of Rice Bran Wax Pyrolysis

Qing Liu, Peng Liu, Zhi-Xiang Xu, Zhi-Xia He, Qian Wang

PII:	S0960-1481(17)31208-9

DOI: 10.1016/j.renene.2017.12.012


Reference: RENE 9509

To appear in: *Renewable Energy*

Received Date: 24 February 2017

Revised Date: 27 November 2017

Accepted Date: 03 December 2017



Please cite this article as: Qing Liu, Peng Liu, Zhi-Xiang Xu, Zhi-Xia He, Qian Wang, Bio-fuel oil Characteristic of Rice Bran Wax Pyrolysis, *Renewable Energy* (2017), doi: 10.1016/j.renene. 2017.12.012

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

1 The mainly components of rice bran wax pyrolysis products were long chain alkane,

2 alkene.

3 It was confirmed that rice bran wax maybe was a good bio-resource to obtain bio-oil.

4 Pyrolysis of rice bran wax generated fuels that have chemical composition similar to

- 5 petroleum based fuels.
- 6
- 7

Download English Version:

https://daneshyari.com/en/article/6764843

Download Persian Version:

https://daneshyari.com/article/6764843

Daneshyari.com