


## Accepted Manuscript

Title: Modelling and optimal management of distributed microgrid using multi-agent systems

Authors: Muhammad Waseem Khan, Jie Wang, Linyun Xiong, Meiling Ma



PII: S2210-6707(18)30231-2  
DOI: <https://doi.org/10.1016/j.scs.2018.05.018>  
Reference: SCS 1096

To appear in:

Received date: 7-2-2018  
Revised date: 3-5-2018  
Accepted date: 14-5-2018

Please cite this article as: Khan MW, Wang J, Xiong L, Ma M, Modelling and optimal management of distributed microgrid using multi-agent systems, *Sustainable Cities and Society* (2018), <https://doi.org/10.1016/j.scs.2018.05.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Modelling and optimal management of distributed microgrid using multi-agent systems

Muhammad Waseem Khan<sup>1</sup>, Jie Wang<sup>1</sup>, Linyun Xiong<sup>1</sup>, and Meiling Ma<sup>1</sup>

<sup>1</sup>. Department of Electrical Engineering, Shanghai Jiao Tong University, Minhang, Shanghai 200240, PR China

## Corresponding Authors:

engr\_waseem90@yahoo.com (M.W. Khan), jiewangxh@sjtu.edu.cn (J. Wang).

## Other Authors:

15821877693@163.com (L. Xiong), mameiling@sjtu.edu.cn (M. Ma)

## Highlights

- A novel distributed energy management system using multi-agent system is proposed.
- Different agents were installed in the MG to control and supervise the system autonomously.
- The communication of intelligent agents in the proposed strategy are presented in three distinct groups.
- The trading of electrical power (to and from) the main utility grid by an optimal way is established.
- Finest practice and synchronization mechanism for all rudiments installed in the system are presented.

## Abstract

Electrical systems composed of numerous and usually multifaceted components which are difficult to operate and control by efficient ways at the centralized level having problems such as adaptability, mobility, and fault tolerance. Thus, in recent evaluation, Renewable Energy Resources (RERs) have been considered as clean and cost-effective sources for the generation of electrical power at the distributed level. In this context, the awareness of the microgrids (MGs), as sub level technologies of the central grid, booms particularly because of the precise amenities that they can deliver. Therefore, a novel Multi-Agent System (MAS) based model and the optimal management of a MG integrated with RERs at distributed level is proposed in this paper. Power generation at distributed level comprises of numerous disseminated energy resources having critical and non-critical loads. A controlled architecture of a MG based on the MAS technique is employed for the finest operations of the MG management and power delivery and also offers intelligence to the MG at distributed level. For validation of the proposed model, the power generation within the MG was evaluated by simulation under the capabilities of RERs power

Download English Version:

<https://daneshyari.com/en/article/6774912>

Download Persian Version:

<https://daneshyari.com/article/6774912>

[Daneshyari.com](https://daneshyari.com)