

Accepted Manuscript

Title: Effect of water flow on building integrated semitransparent photovoltaic thermal system with heat capacity

Authors: Neha Gupta, G.N. Tiwari


PII: S2210-6707(17)31091-0
DOI: <https://doi.org/10.1016/j.scs.2018.03.008>
Reference: SCS 1015

To appear in:

Received date: 18-8-2017
Revised date: 31-1-2018
Accepted date: 7-3-2018

Please cite this article as: Gupta, Neha., & Tiwari, G.N., Effect of water flow on building integrated semitransparent photovoltaic thermal system with heat capacity. *Sustainable Cities and Society* <https://doi.org/10.1016/j.scs.2018.03.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Effect of water flow on building integrated semitransparent photovoltaic thermal system with heat capacity

Neha Gupta^{1*} and G.N.Tiwari²

¹Centre for Energy Studies, Indian Institute of Technology Delhi, Hauz Khas, New Delhi 11 00 16, India.

²Bag Energy Research Society (BERS), 11B, Gyan Khand IV, Indirapuram, Ghaziabad - 20 10 10, (UP), India.

*Corresponding author. Tel.: +91 9971931119; Email address: ar.nehagupta@gmail.com (N.Gupta)

Highlights

- Water cooled building integrated semitransparent photovoltaic thermal systems.
- Effect of water flow and water mass on performance of BiSPVT system.

Abstract:

In this paper, the simultaneous effect of heat capacity and water flow (evaporative cooling) over Semitransparent Photovoltaic modules have been studied. Analytical expressions for room air temperature, floor temperature, solar cell temperature, water temperature (in the tank), tank temperature, water temperature (over the roof), solar cell efficiency, daylight savings and electrical energy have been derived. A comparative analysis has been done with and without the water flow of the proposed system to understand the cooling power offered by water flow over the roof. The computations have been carried for a typical day for the month of June, in New Delhi, India. The effect on different water mass and mass flow rate has also been studied. It was found that there is a drop of 27.88 °C in the peak room air temperature due to the cooling

Download English Version:

<https://daneshyari.com/en/article/6775518>

Download Persian Version:

<https://daneshyari.com/article/6775518>

[Daneshyari.com](https://daneshyari.com)