Accepted Manuscript

Title: Factors influencing participation of psychiatry inpatients in clinical trials

Authors: Nandeeshwar Reddy Mopuru, Sam Padamadan Jose, Biju Viswanath, C. Naveen Kumar, Suresh Bada Math, Jagadisha Thirthalli

PII:	S1876-2018(17)30365-9
DOI:	https://doi.org/10.1016/j.ajp.2017.11.021
Reference:	AJP 1288


To appear in:

 Received date:
 29-5-2017

 Accepted date:
 28-11-2017

Please cite this article as: { https://doi.org/

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

FACTORS INFLUENCING PARTICIPATION OF PSYCHIATRY INPATIENTS IN CLINICAL TRIALS

Authors:

Nandeeshwar Reddy Mopuru^{#,*}, Sam Padamadan Jose^{\$,~}, Biju Viswanath^{@,*}, C Naveen Kumar^{^,*}, Suresh Bada Math^{+,*}, Jagadisha Thirthalli^{+,*}

[#]Junior Resident, [@]Assistant Professor, ^{\$}Associate Professor, [^]Additional Professor, ⁺Professor

*Department of Psychiatry, National Institute of Mental Health and Neurosciences, Bangalore, India.

[~]P K Das Institute of Medical Sciences, Vaniamkulam, Kerala, India.

Corresponding Author:

Channaveerachari Naveen Kumar

Additional Professor, Department of Psychiatry, National Institute of Mental Health and Neurosciences, Bangalore 560029, India.

Email: cnkumar1974@gmail.com

Phone: 08026995261

Highlights

- The educated, urban, affluent class are less likely to participate in trials.
- Drug compliant patients who are maintaining well refuse to participate in trials.
- Decisions are taken by the family in females and those with severe illness.
- The less educated, low-income, rural category is vulnerable to ethical misconduct.
- Building awareness regarding clinical trials among vulnerable groups is necessary.

Download English Version:

https://daneshyari.com/en/article/6787563

Download Persian Version:

https://daneshyari.com/article/6787563

Daneshyari.com