


Accepted Manuscript

Title: Pattern of Social Cognition Deficits in Individuals with Borderline Personality Disorder

Authors: Anupama V., Poornima Bhola, Jagadisha Thirthalli, Urvakhsh Meherwan Mehta



PII: S1876-2018(17)30704-9
DOI: <https://doi.org/10.1016/j.ajp.2018.03.010>
Reference: AJP 1383

To appear in:

Received date: 9-10-2017
Revised date: 18-1-2018
Accepted date: 1-3-2018

Please cite this article as: V., Anupama, Bhola, Poornima, Thirthalli, Jagadisha, Mehta, Urvakhsh Meherwan, Pattern of Social Cognition Deficits in Individuals with Borderline Personality Disorder. Asian Journal of Psychiatry <https://doi.org/10.1016/j.ajp.2018.03.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Pattern of Social Cognition Deficits in Individuals with Borderline Personality Disorder

Anupama V^a, Poornima Bholaa^{*}, Jagadisha Thirthalli^b, Urvakhsh Meherwan Mehta^b

^a Department of Clinical Psychology, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, 560029, India

^b Department of Psychiatry, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, 560029, India

*corresponding author

Running title: Social cognition deficits in borderline personality disorder

Highlights

- Individuals with borderline personality disorder had lower self-reported mentalizing ability, lower facial emotion recognition ability, higher personalizing bias, and greater difficulties in social perception.
- Individuals with borderline personality disorder did not differ from healthy controls in first and second order theory of mind, recognition of faux pas and externalizing bias.
- Findings suggest the need for pre-therapy assessment and interventions for social cognition deficits in individuals with borderline personality disorder.

Abstract

Background: Social cognition deficits have been implicated in the affect regulation and interpersonal difficulties seen in borderline personality disorder (BPD). The study examined

Download English Version:

<https://daneshyari.com/en/article/6787583>

Download Persian Version:

<https://daneshyari.com/article/6787583>

[Daneshyari.com](https://daneshyari.com)