Accepted Manuscript

Factors Associated with Suicide: Case-Control Study in South Tyrol

Giancarlo Giupponi, Marco Innamorati, Ross J. Baldessarini, Diego De Leo, Francesca de Giovannelli, Roger Pycha, Andreas Conca, Paolo Girardi, Maurizio Pompili

 PII:
 S0010-440X(17)30222-5

 DOI:
 doi: 10.1016/j.comppsych.2017.09.010

 Reference:
 YCOMP 51897

To appear in:

Comprehensive Psychiatry



Please cite this article as: Giupponi Giancarlo, Innamorati Marco, Baldessarini Ross J., De Leo Diego, de Giovannelli Francesca, Pycha Roger, Conca Andreas, Girardi Paolo, Pompili Maurizio, Factors Associated with Suicide: Case-Control Study in South Tyrol, *Comprehensive Psychiatry* (2017), doi: 10.1016/j.comppsych.2017.09.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Factors Associated with Suicide: Case-Control Study in South Tyrol

by

Giancarlo Giupponi; ^a Marco Innamorati; ^b Ross J. Baldessarini;^{c,d}; Diego De Leo; ^e Francesca de Giovannelli ^a; Roger Pycha;^f Andreas Conca^a; Paolo Girardi;^g Maurizio

Pompili ^{c,g}

From

- a. Department of Psychiatry, Bolzano, Italy
- **b.** European University of Rome, Italy;
- **c**. International Consortium for Mood & Psychotic Disorders Research, Mailman Research Center, McLean Hospital, Belmont, Massachusetts, USA;
- d. Department of Psychiatry, Harvard Medical School, Boston, Massachusetts, USA;
- e. Australian Institute of Suicide Research and Prevention and Griffith University, Mt Gravatt, Qld, Australia
- f. Department of Psychiatry, Brunico, Italy
- **g.** Department of Neurosciences, Mental Health and Sensory Organs, Suicide Prevention Center, Sant'Andrea Hospital, Sapienza University of Rome, Rome, Italy

Running title: Factors associated with suicide

<u>Acknowledgments</u>: Supported in part by a grant from the Bruce J Anderson Foundation and by the McLean Private Donors Psychiatric Research Fund (to RJB).

<u>Disclosures</u>: No author or immediate family member has financial relationships with commercial organizations that might appear to represent potential conflicts of interest with the material presented.

<u>Submitted to</u>: *Comprehensive Psychiatry* as a research report, June 2017, revised as COMPRPSYCHIATRY-D-17-00162, September 2017 [185 word abstract, 2078 word text, 47 references, 2 tables].

<u>Correspondence to</u>: Prof. M. Pompili: Department of Psychiatry, Sant'Andrea Hospital, 1039, Via di Grottarossa, 1035, Italy. Tel.: +39 06 33775675; Fax: +39 06 33775342; *E-mail:* <u>maurizio.pompili@uniroma1.it</u>

Download English Version:

https://daneshyari.com/en/article/6789111

Download Persian Version:

https://daneshyari.com/article/6789111

Daneshyari.com