


Accepted Manuscript

Leukocyte telomere length variation in different stages of schizophrenia

Pawan Kumar Maurya, Lucas Bortolotto Rizzo, Gabriela Xavier, Priscila Farias Tempaku, Vanessa Kiyomi Ota, Marcos L. Santoro, Leticia M. Spíndola, Patrícia S. Moretti, Diego R. Mazzotti, Ary Gadelha, Eduardo S. Gouvea, Cristiano Noto, Michael Maes, Quirino Cordeiro, Rodrigo A. Bressan, Elisa Brietzke, Sintia Iole Belangero



PII: S0022-3956(17)30222-4

DOI: [10.1016/j.jpsychires.2017.10.016](https://doi.org/10.1016/j.jpsychires.2017.10.016)

Reference: PIAT 3239

To appear in: *Journal of Psychiatric Research*

Received Date: 23 February 2017

Revised Date: 14 October 2017

Accepted Date: 18 October 2017

Please cite this article as: Maurya PK, Rizzo LB, Xavier G, Tempaku PF, Ota VK, Santoro ML, Spíndola Letí.M., Moretti Patrí.S., Mazzotti DR, Gadelha A, Gouvea ES, Noto C, Maes M, Cordeiro Q, Bressan RA, Brietzke E, Belangero SI, Leukocyte telomere length variation in different stages of schizophrenia, *Journal of Psychiatric Research* (2017), doi: 10.1016/j.jpsychires.2017.10.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Leukocyte telomere length variation in different stages of schizophrenia

Pawan Kumar Maurya^{a,b}, Lucas Bortolotto Rizzo^{a,c}, Gabriela Xavier^{a,e}, Priscila Farias Tempaku^f, Vanessa Kiyomi Ota^{a,e}, Marcos L. Santoro^{a,e}, Letícia M. Spíndola^{a,,e}, Patrícia S. Moretti^{a,d,e}, Diego R. Mazzotti^j, Ary Gadelha^{a,d}, Eduardo S. Gouvea^g, Cristiano Noto^{a,d}, Michael Maes^{h,i}, Quirino Cordeiro^g, Rodrigo A. Bressan^{a,d}, Elisa Brietzke^{a,c,d}, Sintia Iole Belangero^{a,e*}

^a*Interdisciplinary Laboratory for Clinical Neuroscience (LiNC), Universidade Federal de São Paulo - UNIFESP, São Paulo, Brazil*

^b*Amity Institute of Biotechnology, Amity University Uttar Pradesh, Noida, India*

^c*Research Group on Behavioural and Molecular Neuroscience of Bipolar Disorder, São Paulo, Brazil*

^d*Program for Recognition and Intervention in Individuals in At-Risk Mental States (PRISMA), São Paulo, Brazil*

^e*Departament of Morphology and Genetics, Universidade Federal de São Paulo (Unifesp), São Paulo, Brazil*

^f*Departament of Psychobiology, Universidade Federal de São Paulo (Unifesp), São Paulo, Brazil*

^g*Department of Psychiatry, Santa Casa de Misericórdia de São Paulo, São Paulo, Brazil.*

^h*Graduation Program in Health Sciences, Universidade Estadual de Londrina, Londrina, PR, Brazil*

ⁱ*Department of Psychiatry, Chulalongkorn University, Bangkok, Thailand*

^j*Center for Applied Genomics, The Children's Hospital of Philadelphia, Philadelphia, United States*

Running Title: Telomere in first-episode psychosis and schizophrenia

***Corresponding author**

Sintia Iole Nogueira Belangero, PhD

Adjunct Professor at Department of Morphology and Genetics
Coordinator of Graduate Program in Structural and Functional Biology
Universidade Federal de São Paulo
São Paulo-SP - Brazil
Tel.: +55-11- 5576-4848 (extension 2371)
E-mail: sinbelangero@gmail.com

Abstract

Download English Version:

<https://daneshyari.com/en/article/6799752>

Download Persian Version:

<https://daneshyari.com/article/6799752>

[Daneshyari.com](https://daneshyari.com)