Accepted Manuscript

Motor coordination and synaptic plasticity deficits are associated with increased cerebellar activity of NAPDH oxidase, CAMKII, and PKC at pre-plaque stage in the TgCRND8 mouse model of Alzheimer's disease.

Roberto Russo, Fabio Cattaneo, Pellegrino Lippiello, Claudia Cristiano, Fabio Zurlo, Martina Castaldo, Carlo Irace, Tiziana Borsello, Rita Santamaria, Rosario Ammendola, Antonio Calignano, Maria Concetta Miniaci

PII: S0197-4580(18)30069-1

DOI: 10.1016/j.neurobiolaging.2018.02.025

Reference: NBA 10178


To appear in: Neurobiology of Aging

Received Date: 28 December 2017 Revised Date: 14 February 2018

Accepted Date: 24 February 2018

Please cite this article as: Russo, R., Cattaneo, F., Lippiello, P., Cristiano, C., Zurlo, F., Castaldo, M., Irace, C., Borsello, T., Santamaria, R., Ammendola, R., Calignano, A., Miniaci, M.C., Motor coordination and synaptic plasticity deficits are associated with increased cerebellar activity of NAPDH oxidase, CAMKII, and PKC at pre-plaque stage in the TgCRND8 mouse model of Alzheimer's disease., *Neurobiology of Aging* (2018), doi: 10.1016/j.neurobiolaging.2018.02.025.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Motor coordination and synaptic plasticity deficits are associated with increased cerebellar

activity of NAPDH oxidase, CAMKII, and PKC at pre-plaque stage in the TgCRND8 mouse

model of Alzheimer's disease.

Roberto Russo^{1#}, Fabio Cattaneo^{2#}, Pellegrino Lippiello^{1#}, Claudia Cristiano¹, Fabio Zurlo¹,

Martina Castaldo², Carlo Irace¹, Tiziana Borsello³, Rita Santamaria¹, Rosario Ammendola²,

Antonio Calignano¹, Maria Concetta Miniaci^{1*}

¹Department of Pharmacy, School of Medicine, University of Naples Federico II, Naples, Italy

²Department of Molecular Medicine and Medical Biotechnology, School of Medicine, University of

Naples Federico II, Naples, Italy

³Department of Pharmacological and Biomolecular Sciences, University of Milan, Italy and

Neuroscience Department, Mario Negri Institute for Pharmacological Research, Milan, Italy

These authors contributed equally to the manuscript

* Corresponding author:

Maria Concetta Miniaci, MD

Department of Pharmacy, School of Medicine

University of Naples Federico II

Via Domenico Montesano, 49; 80131 Naples, Italy

Tel. +39 081 678 459; Fax +39 081 678 403

E-mail: maria.miniaci@unina.it

Download English Version:

https://daneshyari.com/en/article/6802857

Download Persian Version:

https://daneshyari.com/article/6802857

<u>Daneshyari.com</u>