

Accepted Manuscript

Locus of control in US combat veterans: Unique associations with posttraumatic stress disorder 5-factor model symptom clusters

Noelle B. Smith , Lauren M. Sippel , Candice Presseau ,
David Rozek , Natalie Mota , Charles Gordon , Mark Horvath ,
Ilan Harpaz-Rotem

PII: S0165-1781(18)30567-5
DOI: [10.1016/j.psychres.2018.07.015](https://doi.org/10.1016/j.psychres.2018.07.015)
Reference: PSY 11564



To appear in: *Psychiatry Research*

Received date: 27 March 2018
Revised date: 6 June 2018
Accepted date: 6 July 2018

Please cite this article as: Noelle B. Smith , Lauren M. Sippel , Candice Presseau , David Rozek , Natalie Mota , Charles Gordon , Mark Horvath , Ilan Harpaz-Rotem , Locus of control in US combat veterans: Unique associations with posttraumatic stress disorder 5-factor model symptom clusters , *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.07.015](https://doi.org/10.1016/j.psychres.2018.07.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- External locus of control (LOC) is associated with PTSD symptoms
- Relation between LOC and 5 factor model of PTSD symptoms is unknown
- External LOC was associated with overall PTSD symptoms, avoidance, and numbing
- Robust relation between external LOC and avoidance among US veterans
- LOC is a potentially modifiable resilience factor to address in PTSD treatment

Download English Version:

<https://daneshyari.com/en/article/6811130>

Download Persian Version:

<https://daneshyari.com/article/6811130>

[Daneshyari.com](https://daneshyari.com)