

Accepted Manuscript

Understanding the course of persistent symptoms in schizophrenia:
longitudinal findings from the Pattern Study

Josep Maria Haro , Carlo Altamura , Ricardo Corral , Helio Elkis ,
Jonathan Evans , Marie-Odile Krebs , Mathias Zink , Ashok Malla ,
José Ignacio Méndez , Corrado Bernasconi , Justine Lalonde ,
Anna-Lena Nordstroem

PII: S0165-1781(17)31245-3
DOI: [10.1016/j.psychres.2018.04.005](https://doi.org/10.1016/j.psychres.2018.04.005)
Reference: PSY 11327



To appear in: *Psychiatry Research*

Received date: 24 August 2017
Revised date: 31 March 2018
Accepted date: 2 April 2018

Please cite this article as: Josep Maria Haro , Carlo Altamura , Ricardo Corral , Helio Elkis ,
Jonathan Evans , Marie-Odile Krebs , Mathias Zink , Ashok Malla , José Ignacio Méndez ,
Corrado Bernasconi , Justine Lalonde , Anna-Lena Nordstroem , Understanding the course of
persistent symptoms in schizophrenia: longitudinal findings from the Pattern Study, *Psychiatry
Research* (2018), doi: [10.1016/j.psychres.2018.04.005](https://doi.org/10.1016/j.psychres.2018.04.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service
to our customers we are providing this early version of the manuscript. The manuscript will undergo
copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please
note that during the production process errors may be discovered which could affect the content, and
all legal disclaimers that apply to the journal pertain.

Highlights

- Persistent negative symptoms and symptomatic remission were most common states.
- Despite treatment, schizophrenia symptoms remain stable without overall improvement
- Attainment of full symptomatic remission in schizophrenia is challenging

Download English Version:

<https://daneshyari.com/en/article/6811163>

Download Persian Version:

<https://daneshyari.com/article/6811163>

[Daneshyari.com](https://daneshyari.com)