

Accepted Manuscript

Impact of Comprehensive Treatment for First Episode Psychosis on Substance Use Outcomes: A Randomized Controlled Trial

Corinne Cather , Mary F. Brunette , Kim T. Mueser ,
Steven F. Babbin , Robert Rosenheck , Christoph U. Correll ,
Piper Kalos-Meyer

PII: S0165-1781(18)30236-1
DOI: [10.1016/j.psychres.2018.06.055](https://doi.org/10.1016/j.psychres.2018.06.055)
Reference: PSY 11532



To appear in: *Psychiatry Research*

Received date: 5 February 2018
Revised date: 21 May 2018
Accepted date: 21 June 2018

Please cite this article as: Corinne Cather , Mary F. Brunette , Kim T. Mueser , Steven F. Babbin , Robert Rosenheck , Christoph U. Correll , Piper Kalos-Meyer , Impact of Comprehensive Treatment for First Episode Psychosis on Substance Use Outcomes: A Randomized Controlled Trial, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.06.055](https://doi.org/10.1016/j.psychres.2018.06.055)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

Over 50% of minimally treated first episode psychosis patients have a lifetime substance use disorder (SUD)

Despite positive effects of coordinated specialty care (CSC) on retention in treatment, symptoms and social functioning, CSC did not impact substance use

Exposure to specialized substance use treatment was low, suggesting necessary future modifications to clinician training and implementation

Download English Version:

<https://daneshyari.com/en/article/6811213>

Download Persian Version:

<https://daneshyari.com/article/6811213>

[Daneshyari.com](https://daneshyari.com)