Accepted Manuscript

Neurological soft signs as a marker of cognitive impairment severity in people living with HIV

Pablo Toro, María Elena Ceballos, José Pesenti, María Inostroza, Daniela Valenzuela, Fernando Henríquez, Gonzalo Forno, Christina Herold, Johannes Schröder, Jorge Calderón

PII:S0165-1781(17)31717-1DOI:10.1016/j.psychres.2018.04.062Reference:PSY 11394



To appear in: Psychiatry Research

Received date:3 October 2017Revised date:19 March 2018Accepted date:22 April 2018

Please cite this article as: Pablo Toro, María Elena Ceballos, José Pesenti, María Inostroza, Daniela Valenzuela, Fernando Henríquez, Gonzalo Forno, Christina Herold, Johannes Schröder, Jorge Calderón, Neurological soft signs as a marker of cognitive impairment severity in people living with HIV, *Psychiatry Research* (2018), doi: 10.1016/j.psychres.2018.04.062

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We propose neurological soft signs examination as a screening tool in HIV patients
- Neurological soft signs are a clinical marker of HIV- associated Neurocognitive Disorder
- Neurological soft signs are related to the severity of the cognitive disorder

Download English Version:

https://daneshyari.com/en/article/6811263

Download Persian Version:

https://daneshyari.com/article/6811263

Daneshyari.com