

Accepted Manuscript

Longitudinal assessment of the effect of cannabis use on hospital readmission rates in early psychosis: a 6-year follow-up in an inpatient cohort

Marco Colizzi , Natoy Burnett , Rosalia Costa , Mattia De Agostini , James Griffin , Sagnik Bhattacharyya

PII: S0165-1781(18)30288-9
DOI: <https://doi.org/10.1016/j.psychres.2018.08.005>
Reference: PSY 11599



To appear in: *Psychiatry Research*

Received date: 13 February 2018
Revised date: 2 July 2018
Accepted date: 1 August 2018

Please cite this article as: Marco Colizzi , Natoy Burnett , Rosalia Costa , Mattia De Agostini , James Griffin , Sagnik Bhattacharyya , Longitudinal assessment of the effect of cannabis use on hospital readmission rates in early psychosis: a 6-year follow-up in an inpatient cohort, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.08.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

HIGHLIGHTS

- Cannabis use is common among patients in the early stage of psychosis
- Cannabis-using early psychosis patients are more frequently readmitted to hospital
- Cannabis-using male and Black patients are particularly at risk of readmission

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6811264>

Download Persian Version:

<https://daneshyari.com/article/6811264>

[Daneshyari.com](https://daneshyari.com)