Late gestation immune activation increases IBA1-positive immunoreactivity levels in the corpus callosum of adult rat offspring

Ryan J. Duchatel , Crystal L. Meehan , Lauren R. Harms , Patricia T. Michie , Mark J. Bigland , Doug W. Smith , Frederick R. Walker , Phillip Jobling , Deborah M. Hodgson , Paul A. Tooney

PII: S0165-1781(17)32101-7
DOI: 10.1016/j.psychres.2018.05.063
Reference: PSY 11452

To appear in: *Psychiatry Research*

Received date: 16 November 2017
Revised date: 20 March 2018
Accepted date: 23 May 2018

Please cite this article as: Ryan J. Duchatel , Crystal L. Meehan , Lauren R. Harms , Patricia T. Michie , Mark J. Bigland , Doug W. Smith , Frederick R. Walker , Phillip Jobling , Deborah M. Hodgson , Paul A. Tooney , Late gestation immune activation increases IBA1-positive immunoreactivity levels in the corpus callosum of adult rat offspring, *Psychiatry Research* (2018), doi: 10.1016/j.psychres.2018.05.063

Highlights

- Maternal immune activation did not affect cortical *Iba1*, *Gfap, IL1-*β and *TNF-*α mRNA levels in the offspring
- Maternal immune activation during late gestation increased IBA1, but not GFAP immunoreactive material in the corpus callosum of the offspring
- Maternal immune activation did not alter cortical IBA1 or GFAP immunoreactive material in the offspring