Accepted Manuscript


THE PREVALENCE OF SUBSTANCE-INDUCED PSYCHOTIC DISORDER IN METHAMPHETAMINE MISUSERS: A META-ANALYSIS

Tania Lecomte, Alexandre Dumais, Jules R. Dugré, Stéphane Potvin

 PII:
 S0165-1781(17)31911-X

 DOI:
 10.1016/j.psychres.2018.05.033

 Reference:
 PSY 11422



To appear in: *Psychiatry Research*

Received date:16 October 2017Revised date:9 May 2018Accepted date:13 May 2018

Please cite this article as: Tania Lecomte, Alexandre Dumais, Jules R. Dugré, Stéphane Potvin, THE PREVALENCE OF SUBSTANCE-INDUCED PSYCHOTIC DISORDER IN METHAMPHETAMINE MISUSERS: A META-ANALYSIS, *Psychiatry Research* (2018), doi: 10.1016/j.psychres.2018.05.033

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The prevalence of substance-induced psychotic disorder is 36.5% in methamphetamine misusers
- This prevalence is higher when the time period of assessment is lifetime
- It is also higher in studies including only persons with methamphetamine use disorder

Download English Version:

https://daneshyari.com/en/article/6811290

Download Persian Version:

https://daneshyari.com/article/6811290

Daneshyari.com