

Accepted Manuscript

Identifying improvable employment-related factors in schizophrenia patients

Tadashi Hasegawa , Tasuku Hashimoto , Nobuhisa Kanahara , Hiroshi Yamanaka , Minoru Ishige , Yasunori Sato , Masaomi Iyo

PII: S0165-1781(17)31373-2
DOI: [10.1016/j.psychres.2018.05.064](https://doi.org/10.1016/j.psychres.2018.05.064)
Reference: PSY 11453



To appear in: *Psychiatry Research*

Received date: 25 July 2017
Revised date: 3 May 2018
Accepted date: 25 May 2018

Please cite this article as: Tadashi Hasegawa , Tasuku Hashimoto , Nobuhisa Kanahara , Hiroshi Yamanaka , Minoru Ishige , Yasunori Sato , Masaomi Iyo , Identifying improvable employment-related factors in schizophrenia patients, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.05.064](https://doi.org/10.1016/j.psychres.2018.05.064)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We investigated the factors that predict employment in patients with schizophrenia.
- Social functioning improvements 6–12 months after starting treatment were one factor.
- Chlorpromazine-equivalent antipsychotic doses under 600 mg/day were another.
- However, overall psychopathology levels were not.

Download English Version:

<https://daneshyari.com/en/article/6811303>

Download Persian Version:

<https://daneshyari.com/article/6811303>

[Daneshyari.com](https://daneshyari.com)