

Accepted Manuscript

Assessment of the frequency criterion for the diagnosis of non-suicidal self-injury disorder in female adolescents with conduct disorder

Monika Szewczuk-Bogusławska , Małgorzata Kaczmarek-Fojtar ,
Ahmed A. Moustafa , Justin Mahlberg , Dorota Frydecka ,
Anna Oleszkowicz , Olga Bak , Błażej Misiak

PII: S0165-1781(17)32076-0
DOI: [10.1016/j.psychres.2018.05.054](https://doi.org/10.1016/j.psychres.2018.05.054)
Reference: PSY 11443



To appear in: *Psychiatry Research*

Received date: 12 November 2017
Revised date: 21 April 2018
Accepted date: 22 May 2018

Please cite this article as: Monika Szewczuk-Bogusławska , Małgorzata Kaczmarek-Fojtar , Ahmed A. Moustafa , Justin Mahlberg , Dorota Frydecka , Anna Oleszkowicz , Olga Bak , Błażej Misiak , Assessment of the frequency criterion for the diagnosis of non-suicidal self-injury disorder in female adolescents with conduct disorder, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.05.054](https://doi.org/10.1016/j.psychres.2018.05.054)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The frequency threshold of non-suicidal self-injury disorder might be insufficient
- At least 8 self-injuries in the last year should be considered as a criterion
- Depressive symptoms characterize repetitive self-injurers with CD

Download English Version:

<https://daneshyari.com/en/article/6811307>

Download Persian Version:

<https://daneshyari.com/article/6811307>

[Daneshyari.com](https://daneshyari.com)