

Accepted Manuscript

Brain, Blood, Cerebrospinal Fluid, and Serum Biomarkers in Schizophrenia

Alireza Mohammadi , Ehsan Rashidi , Vahid Ghasem Amooeian

PII: S0165-1781(17)32218-7
DOI: [10.1016/j.psychres.2018.04.036](https://doi.org/10.1016/j.psychres.2018.04.036)
Reference: PSY 11359



To appear in: *Psychiatry Research*

Received date: 4 December 2017
Revised date: 20 March 2018
Accepted date: 11 April 2018

Please cite this article as: Alireza Mohammadi , Ehsan Rashidi , Vahid Ghasem Amooeian , Brain, Blood, Cerebrospinal Fluid, and Serum Biomarkers in Schizophrenia, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.04.036](https://doi.org/10.1016/j.psychres.2018.04.036)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Interleukin 1 β , IL-6, IL-8, and TNF- α were increased in patients with Scz.
- mRNA levels of BDNF, TrkB, NT-3, NGF, and VEGF genes have been decreased in Scz.
- BDNF, DTNBP1, NRG1, RELN, SELENBP1, GAD 67, and DISC1 are the candidate genes in Scz.

Download English Version:

<https://daneshyari.com/en/article/6811338>

Download Persian Version:

<https://daneshyari.com/article/6811338>

[Daneshyari.com](https://daneshyari.com)