

Accepted Manuscript

The relationship between illicit amphetamine use and psychiatric symptom profiles in schizophrenia and affective psychoses

Alexandra Voce , Rebecca McKetin , Richard Burns ,
David Castle , Bianca Calabria

PII: S0165-1781(17)31983-2
DOI: [10.1016/j.psychres.2018.04.015](https://doi.org/10.1016/j.psychres.2018.04.015)
Reference: PSY 11337



To appear in: *Psychiatry Research*

Received date: 25 October 2017
Revised date: 3 April 2018
Accepted date: 4 April 2018

Please cite this article as: Alexandra Voce , Rebecca McKetin , Richard Burns , David Castle , Bianca Calabria , The relationship between illicit amphetamine use and psychiatric symptom profiles in schizophrenia and affective psychoses, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.04.015](https://doi.org/10.1016/j.psychres.2018.04.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Amphetamine use is associated with higher prevalence of specific psychiatric symptoms in those with schizophrenia
- An equivalent association is not observed in those with affective psychotic disorders
- Amphetamine may be acting on schizophrenia-specific dysfunctions to precipitate symptoms
- Higher prevalence of these symptoms may underlie poorer outcomes in substance-using patients with schizophrenia

Download English Version:

<https://daneshyari.com/en/article/6811360>

Download Persian Version:

<https://daneshyari.com/article/6811360>

[Daneshyari.com](https://daneshyari.com)