Author's Accepted Manuscript

Use of Ecological Momentary Assessment (EMA) in Non-Suicidal Self-Injury (NSSI): A Systematic Review

Lucía Rodríguez-Blanco, Juan José Carballo-Belloso, Enrique Baca-García



 PII:
 S0165-1781(17)31221-0

 DOI:
 https://doi.org/10.1016/j.psychres.2018.02.051

 Reference:
 PSY11225

To appear in: Psychiatry Research

Received date: 3 July 2017 Revised date: 21 February 2018 Accepted date: 24 February 2018

Cite this article as: Lucía Rodríguez-Blanco, Juan José Carballo-Belloso and Enrique Baca-García, Use of Ecological Momentary Assessment (EMA) in Non-Suicidal Self-Injury (NSSI): A Systematic Review, *Psychiatry Research*, https://doi.org/10.1016/j.psychres.2018.02.051

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Running head: ECOLOGICAL MOMENTARY ASSESSMENT AND NON-SUICIDAL SELF-INJURY

Use of Ecological Momentary Assessment (EMA) in Non-Suicidal Self-Injury (NSSI): A Systematic Review

Lucía Rodríguez-Blanco^{a*}, Juan José Carballo-Belloso^b and Enrique Baca-García^a

^aPsychiatry Department, Hospital Universitario Fundación Jiménez Díaz. 2, Av. Reyes Católicos, 28040. Madrid, Spain.

^bChild and Adolescent Psychiatry Department, Hospital General Universitario Gregorio. 46, Dr. Esquerdo, 28007. Madrid, Spain. **Corresponding author*. Phone: +349154172671. Fax: 91 542 35 36. e-mail: lucia.rodriguezb@guironsalud.es

teomai

Abstract

Conceptualization and assessment of non-suicidal self-injury (NSSI) has evolved substantially in recent years. In both cross-sectional and longitudinal studies, NSSI and its related variables have traditionally been assessed retrospectively, leading to less precise studies of the mechanisms involved in the maintenance, cessation, or aggravation of this behavior. Ecological momentary assessment (EMA) enables realtime collection of patient states, which can be very useful in the study of the mechanisms implied in this behavior. This systematic review aims to elucidate the current status of EMA use in NSSI investigation. An exhaustive search in PubMed and PsycINFO was conducted up to September 2017. All papers included were focused on the study of NSSI using EMA. Studies with methodological diversity were included, which were afterwards organized according to main topic of studies. There were no Download English Version:

https://daneshyari.com/en/article/6811447

Download Persian Version:

https://daneshyari.com/article/6811447

Daneshyari.com