Accepted Manuscript

The effects of perceived torture controllability on symptom severity of posttraumatic stress, depression and anger in refugees and asylum seekers: A path analysis

Lillian Le, Naser Morina, Ulrich Schnyder, Matthis Schick, Richard A. Bryant, Angela Nickerson

PII: S0165-1781(17)31706-7

DOI: 10.1016/j.psychres.2018.03.055

Reference: PSY 11287

To appear in: Psychiatry Research

Received date: 18 September 2017
Revised date: 14 March 2018
Accepted date: 22 March 2018



Please cite this article as: Lillian Le, Naser Morina, Ulrich Schnyder, Matthis Schick, Richard A. Bryant, Angela Nickerson, The effects of perceived torture controllability on symptom severity of posttraumatic stress, depression and anger in refugees and asylum seekers: A path analysis, *Psychiatry Research* (2018), doi: 10.1016/j.psychres.2018.03.055

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- Perceived lack of control during torture is related to current psychopathology.
- Effects of perceived control during torture on psychopathology were mediated by anger and fear during torture.

Cognitive and emotional responses to torture may be important to target in treatment interventions.

Download English Version:

https://daneshyari.com/en/article/6811504

Download Persian Version:

https://daneshyari.com/article/6811504

<u>Daneshyari.com</u>