

Accepted Manuscript

Predictors of Etiological Beliefs about Panic Disorder and Impact of Beliefs on Treatment Outcomes

Sawsane El Amiri , Diana Koszycki , Monica Taljaard ,
Zindel Segal , Jacques Bradwejn

PII: S0165-1781(17)31812-7
DOI: [10.1016/j.psychres.2018.04.003](https://doi.org/10.1016/j.psychres.2018.04.003)
Reference: PSY 11325



To appear in: *Psychiatry Research*

Received date: 2 October 2017
Revised date: 13 February 2018
Accepted date: 1 April 2018

Please cite this article as: Sawsane El Amiri , Diana Koszycki , Monica Taljaard , Zindel Segal , Jacques Bradwejn , Predictors of Etiological Beliefs about Panic Disorder and Impact of Beliefs on Treatment Outcomes, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.04.003](https://doi.org/10.1016/j.psychres.2018.04.003)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We explored predictors of etiological beliefs and impact these beliefs have on treatment response in patients with panic disorder
- Baseline demographic and clinical characteristics predicted etiological beliefs about panic disorder.
- Etiological beliefs predicted more severe symptoms posttreatment
- Results suggest that illness beliefs should taken into account when assessing and treating panic disorder

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6811513>

Download Persian Version:

<https://daneshyari.com/article/6811513>

[Daneshyari.com](https://daneshyari.com)