

Accepted Manuscript

Relevance of treated cocaine users' retrospective memory of first cocaine use

Emily Karsinti , Kristel Piani , El Hedi Zerdazi , Uwe Maskos ,
Philippe Faure , Lucia Romo , Frank Bellivier , Georges Brousse ,
Jean Pierre Lépine , Vanessa Bloch , Florence Vorspan

PII: S0165-1781(17)30725-4
DOI: [10.1016/j.psychres.2018.03.058](https://doi.org/10.1016/j.psychres.2018.03.058)
Reference: PSY 11290



To appear in: *Psychiatry Research*

Received date: 28 April 2017
Revised date: 20 March 2018
Accepted date: 21 March 2018

Please cite this article as: Emily Karsinti , Kristel Piani , El Hedi Zerdazi , Uwe Maskos ,
Philippe Faure , Lucia Romo , Frank Bellivier , Georges Brousse , Jean Pierre Lépine ,
Vanessa Bloch , Florence Vorspan , Relevance of treated cocaine users' retrospective memory
of first cocaine use, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.03.058](https://doi.org/10.1016/j.psychres.2018.03.058)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- This study retrospectively assesses the subjective effects of first cocaine use
- Those effects are variables among subjects
- Four dimensions (Anxiety, Disinhibition, Tachypsychia and Calmness) are found
- Dimensions are associated with a history of substance use, including cocaine
- Tachypsychia during first cocaine use is associated with further dependence

Download English Version:

<https://daneshyari.com/en/article/6811549>

Download Persian Version:

<https://daneshyari.com/article/6811549>

[Daneshyari.com](https://daneshyari.com)