

## Accepted Manuscript

The Assessment of Serum Lipid Profiles of Children with Attention Deficit Hyperactivity Disorder

Cagatay Ugur , Ozden Sukran Uneri , Zeynep Goker ,  
Ebru Sekmen , Hilal Aydemir , Esra Solmaz

PII: S0165-1781(17)31675-X  
DOI: [10.1016/j.psychres.2018.04.006](https://doi.org/10.1016/j.psychres.2018.04.006)  
Reference: PSY 11328



To appear in: *Psychiatry Research*

Received date: 11 September 2017  
Revised date: 8 March 2018  
Accepted date: 2 April 2018

Please cite this article as: Cagatay Ugur , Ozden Sukran Uneri , Zeynep Goker , Ebru Sekmen , Hilal Aydemir , Esra Solmaz , The Assessment of Serum Lipid Profiles of Children with Attention Deficit Hyperactivity Disorder, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.04.006](https://doi.org/10.1016/j.psychres.2018.04.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Serum total cholesterol (TC) and low-density lipoprotein (LDL) levels were significantly higher in the ADHD group than the healthy controls.
- The study results support the difference in serum lipid and lipoprotein profiles of children with ADHD compared to healthy controls. This difference is thought to be related to changes in oxidant/antioxidant balance states in ADHD.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6811568>

Download Persian Version:

<https://daneshyari.com/article/6811568>

[Daneshyari.com](https://daneshyari.com)