


Author's Accepted Manuscript

Stress underestimation and mental health literacy of depression in Japanese workers: A cross-sectional study

Nanako Nakamura-Taira, Shuhei Izawa, Kosuke Chris Yamada



PII: S0165-1781(17)30632-7
DOI: <https://doi.org/10.1016/j.psychres.2017.12.090>
Reference: PSY11126

To appear in: *Psychiatry Research*

Received date: 20 April 2017
Revised date: 7 December 2017
Accepted date: 31 December 2017

Cite this article as: Nanako Nakamura-Taira, Shuhei Izawa and Kosuke Chris Yamada, Stress underestimation and mental health literacy of depression in Japanese workers: A cross-sectional study, *Psychiatry Research*, <https://doi.org/10.1016/j.psychres.2017.12.090>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Stress underestimation and mental health literacy of depression in Japanese workers: A cross-sectional study

Nanako Nakamura-Taira^{a*}, Shuhei Izawa^b, Kosuke Chris Yamada^c

^a Center for Research on Human Development and Clinical Psychology, Hyogo University of Teacher Education, Shimokume 2-579-15, Kato-shi, Hyogo 673-1494, Japan (Nanako775@aol.com)

^b Occupational Stress Research Group, National Institute of Occupational Safety and Health, 6-21-1 Nagao, Tama-ku, Kawasaki, Kanagawa 214-8585, Japan (izawa0810@gmail.com)

^c Emergency Care Center, Saga University Hospital, 5-1-1 Nabeshima, Saga, Saga 849-0937, Japan (yamadakc@cc.saga-u.ac.jp)

Abstract

Appropriately estimating stress levels in daily life is important for motivating people to undertake stress-management behaviors or seek out information on stress management and mental health. People who exhibit high stress underestimation might not be interested in information on mental health, and would therefore have less knowledge of it. We investigated the association between stress underestimation tendency and mental health literacy of depression (i.e., knowledge of the recognition, prognosis, and

***Corresponding author**

Nanako Nakamura-Taira

Center for Research on Human Development and Clinical Psychology, Hyogo University of Teacher Education, Shimokume 2-579-15, Kato-shi, Hyogo 673-1494, Japan

Telephone number: +81-(0)795-44-2281

Fax number: +81-(0)795-44-2281

E-mail: Nanako775@aol.com

Download English Version:

<https://daneshyari.com/en/article/6811610>

Download Persian Version:

<https://daneshyari.com/article/6811610>

[Daneshyari.com](https://daneshyari.com)