

## Accepted Manuscript

Is 'subthreshold' bipolar II disorder more difficult to differentiate from borderline personality disorder than formal bipolar II disorder?

Rebecca K. Graham , Gordon B. Parker , Stacey McCraw , Adam Bayes

PII: S0165-1781(17)31327-6  
DOI: [10.1016/j.psychres.2018.04.018](https://doi.org/10.1016/j.psychres.2018.04.018)  
Reference: PSY 11340



To appear in: *Psychiatry Research*

Received date: 18 July 2017  
Revised date: 22 December 2017  
Accepted date: 5 April 2018

Please cite this article as: Rebecca K. Graham , Gordon B. Parker , Stacey McCraw , Adam Bayes , Is 'subthreshold' bipolar II disorder more difficult to differentiate from borderline personality disorder than formal bipolar II disorder?, *Psychiatry Research* (2018), doi: [10.1016/j.psychres.2018.04.018](https://doi.org/10.1016/j.psychres.2018.04.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- Sub-threshold bipolar and borderline personality disorder (BPD) were compared.
- Sub-threshold bipolar differed from BPD on several clinical variables.
- Results support the differentiation of sub-threshold bipolar from BPD.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6811726>

Download Persian Version:

<https://daneshyari.com/article/6811726>

[Daneshyari.com](https://daneshyari.com)