

Psychometric evaluation of the Temporal Experience of Pleasure Scale (TEPS) in a German sample

Joe J. Simon, Johannes Zimmermann, Sheila A. Cordeiro, Ina Marée, David E. Gard, Hans-Christoph Friederich, Matthias Weisbrod, Stefan Kaiser



PII: S0165-1781(17)30174-9
DOI: <https://doi.org/10.1016/j.psychres.2017.11.060>
Reference: PSY11007

To appear in: *Psychiatry Research*

Received date: 31 January 2017
Revised date: 12 October 2017
Accepted date: 18 November 2017

Cite this article as: Joe J. Simon, Johannes Zimmermann, Sheila A. Cordeiro, Ina Marée, David E. Gard, Hans-Christoph Friederich, Matthias Weisbrod and Stefan Kaiser, Psychometric evaluation of the Temporal Experience of Pleasure Scale (TEPS) in a German sample, *Psychiatry Research*, <https://doi.org/10.1016/j.psychres.2017.11.060>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Psychometric evaluation of the Temporal Experience of Pleasure Scale (TEPS) in a German sample.

Joe J. Simon^{a,b,c*}, Johannes Zimmermann^d, Sheila A. Cordeiro^a, Ina Marée^a, David E. Gard^e, Hans-Christoph Friederich^{b,c}, Matthias Weisbrod^{a,f}, Stefan Kaiser^g

^aDepartment of General Psychiatry, Center of Psychosocial Medicine, University of Heidelberg

^bDepartment of General Internal Medicine and Psychosomatics, Centre for Psychosocial Medicine, Heidelberg, Germany

^cDepartment of Psychosomatic Medicine and Psychotherapy, Medical Faculty, Heinrich-Heine-University Düsseldorf, Düsseldorf, Germany

^dPsychologische Hochschule Berlin, Berlin, Germany.

^eDepartment of Psychology, San Francisco State University, USA.

^fDepartment of Psychiatry and Psychotherapy, SRH Klinikum Karlsbad-Langensteinbach

^gDivision of Adult Psychiatry, Department of Mental Health and Psychiatry, Geneva University Hospitals, Geneva, Switzerland

***Corresponding author address:** Joe J. Simon, Ph.D. Centre for Psychosocial Medicine, General Internal Medicine and Psychosomatics, Im Neuenheimer Feld 410, 69120 Heidelberg, Tel.: +49 (0)6221 56-38667, Fax: +49 (0)6221 56-5988. Joe.simon@med.uni-heidelberg.de

Abstract

Anhedonia, or the inability to experience pleasure, is commonly observed in schizophrenia. It has been suggested that patients with schizophrenia are unable to predict future pleasurable events, but show intact experience of in-the-moment pleasure. Therefore, the Temporal Experience of Pleasure Scale (TEPS), a self-report measure allowing the assessment of anticipatory and consummatory pleasure, has been developed. To validate the German version of the TEPS, we recruited 59 healthy control participants and 51 patients with schizophrenia or schizoaffective disorder who completed the TEPS as well as a battery of psychometric tests to

Download English Version:

<https://daneshyari.com/en/article/6811847>

Download Persian Version:

<https://daneshyari.com/article/6811847>

[Daneshyari.com](https://daneshyari.com)