

Author's Accepted Manuscript

The Construct and Measurement of Suicide-Related Coping

Barbara Stanley, Kelly L. Green, Marjan Ghahramanlou-Holloway, Lisa A. Brenner, Gregory K. Brown



PII: S0165-1781(16)31743-7
DOI: <http://dx.doi.org/10.1016/j.psychres.2017.08.008>
Reference: PSY10723

To appear in: *Psychiatry Research*

Received date: 11 October 2016
Revised date: 2 August 2017
Accepted date: 9 August 2017

Cite this article as: Barbara Stanley, Kelly L. Green, Marjan Ghahramanlou-Holloway, Lisa A. Brenner and Gregory K. Brown, The Construct and Measurement of Suicide-Related Coping, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2017.08.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The Construct and Measurement of Suicide-Related Coping

Barbara Stanley,^a Kelly L. Green,^b Marjan Ghahramanlou-Holloway,^c Lisa A. Brenner,^d

Gregory K. Brown^b

1. Department of Psychiatry, Columbia University College of Physicians & Surgeons and New York State Psychiatric Institute, New York, NY, USA
2. Department of Psychiatry, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA
3. Department of Medical & Clinical Psychology, F. Edward Hébert School of Medicine, Uniformed Services University of the Health Sciences, Bethesda, MD, USA
4. Denver VA Medical Center, Rocky Mountain Mental Illness Research Education and Clinical Center, Department of Veterans Affairs and Departments of Psychiatry, Physical Medicine and Rehabilitation, and Neurology, University of Colorado, Anschutz School of Medicine, Aurora, CO, USA

Corresponding Author: Barbara Stanley, Ph.D. bhs2@cumc.columbia.edu

Abstract

Enhancing the ability to cope with suicidal thoughts, urges, and crises is a key component of therapeutic work with suicidal patients. Suicide-related coping can serve as a treatment target, can provide an additional component in the evaluation of suicidal patients, and can serve as an outcome in randomized controlled trials for the prevention of suicide. However, to date,

Download English Version:

<https://daneshyari.com/en/article/6812018>

Download Persian Version:

<https://daneshyari.com/article/6812018>

[Daneshyari.com](https://daneshyari.com)