

## Author's Accepted Manuscript

Comparison of residual depressive symptoms and functional impairment between fully and partially remitted patients with major depressive disorder: a multicenter study

Le Xiao, Lei Feng, Xue-quan Zhu, Yuan Feng, Wen-yuan Wu, Gabor S. Ungvari, Chee H. Ng, Yu-Tao Xiang, Gang Wang



PII: S0165-1781(17)31531-7  
DOI: <https://doi.org/10.1016/j.psychres.2018.01.020>  
Reference: PSY11147

To appear in: *Psychiatry Research*

Received date: 17 August 2017  
Revised date: 1 January 2018  
Accepted date: 9 January 2018

Cite this article as: Le Xiao, Lei Feng, Xue-quan Zhu, Yuan Feng, Wen-yuan Wu, Gabor S. Ungvari, Chee H. Ng, Yu-Tao Xiang and Gang Wang, Comparison of residual depressive symptoms and functional impairment between fully and partially remitted patients with major depressive disorder: a multicenter study, *Psychiatry Research*, <https://doi.org/10.1016/j.psychres.2018.01.020>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparison of residual depressive symptoms and functional impairment****between fully and partially remitted patients with major depressive disorder: a****multicenter study**<sup>1</sup>#Le Xiao, MD;<sup>1</sup>#Lei Feng, MD, PhD;<sup>1</sup>#Xue-quan Zhu, MD;<sup>1</sup>Yuan Feng, MD;<sup>2</sup>Wen-yuan Wu, MD;<sup>3</sup>Gabor S. Ungvari, MD, PhD<sup>4</sup>Chee H. Ng, MBBS, MD<sup>5</sup>\*Yu-Tao Xiang, MD, PhD;<sup>1</sup>\*Gang Wang, MD, PhD

1. The National Clinical Research Center for Mental Disorders & Beijing Key Laboratory of Mental Disorders & Beijing Anding Hospital, Capital Medical University, Beijing, China.
2. Department of Psychiatry, Tongji Hospital of Tongji University, Shanghai, China
3. The University of Notre Dame Australia /Graylands Hospital, Perth, Australia;
4. Department of Psychiatry, University of Melbourne, Melbourne, Victoria, Australia;
5. Unit of Psychiatry, Faculty of Health Sciences, University of Macau, Macao SAR, China.

# These authors contributed equally to this work.

\* Address correspondence to Dr. Gang Wang, Mood Disorders Center, Beijing Anding Hospital, Beijing, China. E-mail: gangwangdoc@gmail.com; or Dr. Yu-Tao Xiang, 3/F, Building E12, Faculty of Health Sciences, University of Macau, Avenida da Universidade, Taipa, Macau SAR, China. Fax: +853-2288-2314; Phone: +853-8822-4223; E-mail: xyutly@gmail.com.

**ABSTRACT**

This study compared residual depressive and somatic symptoms and functional impairment between remitted and partially remitted patients with major depressive disorder (MDD), and explored the associations of functioning with demographic and clinical characteristics including residual depressive symptoms.

Download English Version:

<https://daneshyari.com/en/article/6812021>

Download Persian Version:

<https://daneshyari.com/article/6812021>

[Daneshyari.com](https://daneshyari.com)